1



# SAFETY DATA SHEET Fluid Science Ultra Pure Antifreeze

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name

Fluid Science Ultra Pure Antifreeze

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Coolant / Antifreeze.

## 1.3. Details of the supplier of the safety data sheet

Fluid Science Limited Unit 5 Pride Point Ashcroft Road Knowsley Ind. Park Kirkby L33 7TW

+44 (0)1244837860 (General Enquiries)

Contact person

sales@fluidscienceltd.com

# 1.4. Emergency telephone number

Emergency telephone 0870 190 6777 (National Chemical Emergency Centre) +44 (0)1270 502891

# **SECTION 2: Hazards identification**

2.1. Classification of the sub	stance or mixture
Classification (EC 1272/200	8)
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
EC number	200-338-0
Hazard statements	NC Not Classifie
2.3. Other hazards	

# SECTION 3: Composition/information on ingredients

Component	CAS	Concentration
Propylene Glycol	57-55-6	< 50%
Deionised Water	7732-11-4	< 50%

## SECTION 4: First aid measures

4.1. Description of first aid measures		
General information	Get medical attention if any discomfort continues. Treat symptomatically	
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.	
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.	
Skin contact	Rinse immediately with plenty of water. Get medical attention if any discomfort continues.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	No additional symptoms or effects are anticipated.	
4.3. Indication of any immediat	e medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	ures	
SECTION 5: Firefighting meas 5.1. Extinguishing media	ures	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media	ures Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro	ures Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Specific hazards	ures         Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.         om the substance or mixture         Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Carbon monoxide (CO). Carbon dioxide (CO2). Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Solvent vapours may form explosive mixtures with air.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Specific hazards 5.3. Advice for firefighters	ures Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire. In the substance or mixture Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Carbon monoxide (CO). Carbon dioxide (CO2). Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Solvent vapours may form explosive mixtures with air.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Specific hazards 5.3. Advice for firefighters Protective actions during firefighting	ures Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire. om the substance or mixture Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Carbon monoxide (CO). Carbon dioxide (CO2). Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Solvent vapours may form explosive mixtures with air. Avoid breathing fire gases or vapours. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Cool containers exposed to flames with water until well after the fire is out. Wear self contained breathing apparatus	
SECTION 5: Firefighting meas         5.1. Extinguishing media         Suitable extinguishing media         5.2. Special hazards arising from Specific hazards         5.3. Advice for firefighters         Protective actions during firefighting         Special protective equipment for firefighters	ures         Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.         om the substance or mixture         Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Carbon monoxide (CO). Carbon dioxide (CO2). Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Solvent vapours may form explosive mixtures with air.         Avoid breathing fire gases or vapours. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Cool containers exposed to flames with water until well after the fire is out. Wear self contained breathing apparatus         Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Follow
	precautions for safe handling described in this safety data sheet. No smoking, sparks, flames
	or other sources of ignition near spillage. Provide adequate ventilation. Avoid contact with
	eyes and prolonged skin contact. Take care as floors and other surfaces may become
	slippery.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment. Do not let the product or washing down water enter natural water courses or the sewer.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Wash thoroughly after dealing with a spillage. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Contain spillage - Do not wash spillage down drain.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and	storage
7.1. Precautions for safe ha	andling
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists.
7.2. Conditions for safe sto	orage, including any incompatibilities
Storage precautions	No special storage precautions required. Keep away from heat, sparks and open flame. Keep container tightly closed. Take precautionary measures against static discharges.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Usage description	The information contained within this Safety Data Sheet is given as a guide to the precautions required to maintain a safe work environment.
SECTION 8: Exposure con	trols/Personal protection

# 8.1. Control parameters

### Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m<sup>3</sup> total vapour and particulates

WEL = Workplace Exposure Limit

DNEL	Industry - Inhalation; Long term : 168 mg/m <sup>3</sup> Consumer - Inhalation; Long term : 50 mg/m <sup>3</sup>
PNEC	<ul> <li>Fresh water; 260 mg/l</li> <li>marine water; 26 mg/l</li> <li>STP; 20000 mg/l</li> <li>Sediment; Freshwater 572 mg/kg</li> <li>Sediment; Marine water 57.2 mg/kg</li> <li>Soil: 50 mg/kg</li> </ul>
	- 30ll, 30 Hly/kg

### 8.2. Exposure controls

## Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients. All handling should only take place in well-ventilated areas.
Eye/face protection	Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Provide eyewash station. Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station. Wash contaminated clothing before reuse. Wash promptly if skin becomes contaminated.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Respirators must conform to BS EN 149 and be regularly maintained in accordance with relevant legislation.

# SECTION 9: Physical and chemical properties

9.1. Information on basic phys	ical and chemical properties	
Appearance	Colourless liquid.	
Colour	Colourless.	
Odour	No characteristic odour.	
Initial boiling point and range	187.4°C @ 760 mm Hg	
Flash point	103°C Pensky-Martens closed cup.	
Evaporation rate	0.02	
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 2.6 Upper flammable/explosive limit: 12.5	
Vapour pressure	0.3 mbar @ °C	
Vapour density	2.62	
Relative density	1.04 @ 20°C	
Partition coefficient	: -1.07	
Auto-ignition temperature	371°C	
Viscosity	48.6 mPa s @ 25°C	
9.2. Other information		
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Avoid the following conditions: Heat, sparks, flames.	

10.3. Possibility of hazardous reactions

# MONO PROPYLENE GLYCOL

Possibility of hazardous reactions	Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with strong oxidising agents. Avoid contact with acids. bases	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Strong oxides. bases	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. aldehydes organic acids, alcohols ethers	
SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicologic	cal effects	
Other health effects	There is no evidence that the product can cause cancer.	
Inhalation	No significant hazard at normal ambient temperatures. Heating may generate the following products: Toxic gases or vapours. Vapour may irritate respiratory system/lungs.	
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.	
Skin contact	Skin irritation should not occur when used as recommended. Product has a defatting effect on skin.	
Eye contact	May cause temporary eye irritation.	
Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.	
SECTION 12: Ecological inform	nation	
12.1. Toxicity		
Toxicity	Not considered toxic to fish.	
Acute aquatic toxicity Acute toxicity - fish	LC₅₀, 96 hours: >44,000 (rainbow trout) mg/l, Fish	
Acute toxicity - aquatic invertebrates	LC50 Criodaphnia dubia (water flea), static, 48hr 18,340 mg/l LC50 Mysidopsis bahia (saltwater mysid), static, 96hr 18800 mg/l EC₅₀, 48 hours: >4,850 mg/l, Daphnia magna	
Acute toxicity - aquatic plants	EC₅₀, 96 hours: 19000 mg/l, Selenastrum capricornutum	
Acute toxicity - microorganisms	NOEC, >: > 20000 mg/l, Pseudomonas putida, 18hr	
Chronic aquatic toxicity Chronic toxicity - aquatic invertebrates	NOEC, : 13020 mg/l, Ceridaphnia (water flea), static renewal, 7d	
12.2. Persistence and degradability		
	bility	
Persistence and degradability	<b>bility</b> The product has proven to be degradable under anaerobic conditions. Readily biodegradable. Biodegradeability after 28 days was found to be > 80%	

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating. BCF: ~ 0.09,

Partition coefficient	: -1.07
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
SECTION 13: Disposal conside	erations
13.1. Waste treatment methods	<u> </u>
General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Contaminated packages must be completely emptied before sending away for laundering and re-use.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Recycle containers wherever possible. This product is not classified as hazardous waste.
Waste class	EWC NUMBER: Allocation of a waste code number in accordance with the European Waste Catalogue, should be carried out in agreement with an EA authorised waste disposal company.

### **SECTION 14: Transport information**

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Dangerous Substances Directive 67/548/EEC.
	Regulation (EC) No 1272/2008 CLP.
	Regulation (EC) No 1907/2006 REACH.

Guidance

Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

### Inventories

EU - EINECS/ELINCS Present.

# US - TSCA

Present.

SECTION 16: Other information	
General information	Since empty containers retain product residue, follow label warnings, even after container is emptied. For further Health and Safety information contact: Health and Safety Officer. Labels should not be removed from containers until they have been cleaned and no product remains within.
Key literature references and sources for data	Manufacturer's Material Safety Data Sheet
Revision comments	N/A
Issued by	Compliance Department
Revision date	12/04/2022
Revision	1
SDS status	Approved.
Risk phrases in full	Not classified.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.