



SAFETY DATA SHEET LACTIC ACID SOLUTIONS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LACTIC ACID SOLUTIONS

Synonyms; trade names LACTIC ACID 50% SOL, LACTIC ACID 80% SOL, LACTIC ACID 88% SOL, LACTIC ACID 80% SOL, LACTIC 80%

90% SOL, LACTIC ACID E270 80% SOL, LACTIC ACID 80% HS BQ, LACTIC ACID 80% FG

JBL, LACTIC ACID 90% PERSONAL CARE, LACTIC ACID E270 80% SOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Food / Feed additive Pharmaceuticals Personal Care Cleaning agent. Biocide Industrial

application For further information, see attached Exposure Scenario.

1.3. Details of the supplier of the safety data sheet

Supplier Fluid Science Ltd

Unit 5,

Pride Point,

Ashcroft Road,

Knowsley Industrial Estate,

Liverpool,

L33 7TW

01244 506 860

Sales@fluidscienceltd.com

1.4. Emergency telephone number

Emergency telephone 01244 506 860 (Working hours 8am – 5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

LACTIC ACID SOLUTIONS

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective clothing, gloves, eye and face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

Contains (L) LACTIC ACID

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

(L) LACTIC ACID >= 50%

CAS number: 79-33-4 EC number: 201-196-2 REACH registration number:

012119474164-39-XXXX

Classification Skin Irrit. 2 - H315

Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Rinse nose and mouth with water. Get medical attention if any discomfort

continues.

Ingestion Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Rinse mouth thoroughly with water. Do not induce vomiting. Give plenty of water

to drink. Get medical attention.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention promptly if symptoms occur after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue

to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Causes skin irritation. Symptoms following overexposure may include the following:

Irritation. Redness. May cause skin disorders if contact is repeated or prolonged.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately

irrigated. May cause chemical eye burns. Symptoms following overexposure may include

the following: Severe irritation, burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

LACTIC ACID SOLUTIONS

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated, vapours/gases hazardous to health may be formed.

Hazardous combustion products vapours.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

5.3. Advice for firefighters

Protective actions During cool containers exposed to heat with water spray and remove them from the fire

area if it can firefighting be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water.

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective for firefighters clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of

vapours and contact with skin and eyes. Keep unnecessary and unprotected personnel away

from the spillage. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with

inert, damp, non-combustible material. Collect and place in suitable waste disposal containers

and seal securely.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and

dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimise spills. Wear protective clothing as

described in Section 8 of this safety data sheet. Provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid inhalation of vapours and

contact with skin and eyes. Keep at temperature not exceeding 200°C.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Provide eyewash station and

safety shower.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed, original container in a dry, cool and well-ventilated place. Avoid

exposure to high temperatures or direct sunlight. Store at temperatures above 5°C. Store at

temperatures not exceeding 200°C.

LACTIC ACID SOLUTIONS

Store away from the following materials: Strong oxidising agents. Alkalis. Suitable container materials: Polyethylene. (HDPE) Stainless steel.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational

exposure limits

No exposure limits known for ingredient(s).

(L) LACTIC ACID (CAS: 79-33-4)

DNEL Industry - Inhalation; Short term: 592 mg/m³

Consumer - Oral; : 35.4 mg/kg/day Consumer - Inhalation; : 296

PNEC - Fresh water; 1.3 mg/l

- STP; 10

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours and contact with skin and eyes.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard

EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from

chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Care should be taken to avoid contact with contaminants when removing

contaminated clothing. Wash contaminated clothing before reuse.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P2. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless. Light (or pale). Yellow.

Odour Characteristic.

Odour threshold No information available.

LACTIC ACID SOLUTIONS

pH pH (concentrated solution): <2

Melting point < -80°C

Pour Point No information available.

Freezing Point No information available.

Initial boiling point and range 110 - 130°C

Flash point Not applicable.

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas)

No information available.

Upper/lower flammability or

No information available.

explosive limits

Other flammability No information available.

Vapour pressure ~ 0.004 hPa @ 20°C

Vapour density No information available.

Relative density 1.00 - 1.25

Bulk density No information available.

Solubility(ies) Miscible with water.

Partition coefficient log Pow: -0.62

Auto-ignition temperature 400°C

Decomposition Temperature >200°C

Viscosity 5 - 60 mPa s @ 25°C

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

No information available.

Oxidising properties <u>9.2.</u>

Other information

Does not meet the criteria for classification as oxidising.

Refractive index No information available.

Particle size No information available.

Molecular weight 90.08

Volatility No information available.

Saturation concentration No information available.

Critical temperature No information available. Volatile

organic compound No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

LACTIC ACID SOLUTIONS

10.3. Possibility of hazardous reactions

Possibility of hazardous

Under normal conditions of storage and use, no hazardous reactions will occur.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Keep at temperature not exceeding

200°C.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Oxidising agents. Alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity - oral

Notes (oral LD₅₀) No information available.

Acute toxicity - dermal

Notes (dermal LD₅₀) No information available.

Acute toxicity - inhalation

Notes (inhalation LC_{50}) No information available.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - No information available. development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

LACTIC ACID SOLUTIONS

Ingestion The product irritates mucous membranes and may cause abdominal discomfort if swallowed.

Skin contact Causes skin irritation. Symptoms following overexposure may include the following: Irritation.

Redness. May cause skin disorders if contact is repeated or prolonged.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. May cause chemical eye burns. Symptoms following overexposure may include the following: Severe irritation, burning and tearing. Toxicological information on ingredients.

(L) LACTIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀

mg/kg)

3,543.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 4875 mg/kg, Oral, Mouse LD₅₀ 3543 mg/kg, Oral, Rat, Female LD₅₀

4936 mg/kg, Oral, Rat, Male

ATE oral (mg/kg) Acute

toxicity - dermal

3,543.0

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Notes (dermal LD_{50}) $LD_{50} > 2000$ mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

7.94

Species Rat

Notes (inhalation LC_{50}) LC_{50} (4h) > 7.94 mg/l, Inhalation, Rat OECD 403

ATE inhalation (vapours

ng/l

7.94

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation. Rabbit

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation Not classified.

Skin sensitisation

Skin sensitisation Germ

cell mutagenicity

Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No evidence of carcinogenicity in animal studies. Read-across data.

Reproductive toxicity

LACTIC ACID SOLUTIONS

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

LOAEL 13wk 5d/wk: 886 mg/kg, Dermal, Rat Slightly irritating.

NOAEL 13wk 1/d: 5000 mg/kg, Oral, Rat, Male, Female Read-across data.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met. Aspiration

hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Symptoms following overexposure may include the following: Headache.

Ingestion May cause discomfort if swallowed. Symptoms following overexposure may include

the following: Stomach pain. Nausea, vomiting.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage. May cause chemical eye burns. May cause

permanent damage if eye is not immediately irrigated.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or damaging effect

on the environment.

Ecological information on ingredients.

(L) LACTIC ACID

Ecotoxicity The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

(L) LACTIC ACID

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 130 mg/l, Lepomis macrochirus (Bluegill)

LC₅₀, 96 hour: 130 mg/l, Oncorhynchus mykiss (Rainbow trout)

LOEC, Chronic, 90 day: 2.18 mg/l, Fish

Oreochromus mossambica

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 130 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

 EC_{50} , 72 hours: > 2800 mg/l, Pseudokirchneriella subcapitata

EC₅₀, 72 hour: 3500 mg/l, Selenastrum capricornutum

NOEC, 70 hour: 1900 mg/l, Pseudokirchneriella subcapitata

Acute toxicity microorganisms

EC₅₀, 3 hour: > 100 mg/l, Activated sludge

Acute toxicity - terrestrial LC₅₀, 14 day: > 2250 mg/kg, Colinus Virginianus (Bobwhite Quail)

LACTIC ACID SOLUTIONS

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

Ecological information on ingredients.

(L) LACTIC ACID

Persistence and

Readily biodegradable but failing the 10-day window.

degradability

Biodegradation - Degradation 64%: 28 days

OECD 301D

Biological oxygen demand 5d: 450 mg/g

20d: 600 mg/g Chemical oxygen demand 0.9 g O₂/g substance

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: -0.62

Ecological information on ingredients.

(L) LACTIC ACID

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: -0.72

12.4. Mobility in soil

Mobility The product is soluble in water.

Ecological information on ingredients.

(L) LACTIC ACID

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

Ecological information on ingredients.

(L) LACTIC ACID

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects Not determined.

Ecological information on ingredients.

(L) LACTIC ACID

Other adverse effects No information available.

SECTION 13: Disposal considerations

LACTIC ACID SOLUTIONS

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Do not puncture or incinerate, even when empty.

Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number Not

applicable.

14.2. UN proper shipping name Not

applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group Not

applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user Not

applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Restrictions (Annex XVII

This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 Regulation 1907/2006) (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE

MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND

ARTICLES. Entry number: 3

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

<u>Inventories</u>

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

LACTIC ACID SOLUTIONS

Canada - DSL/NDSL

All the ingredients are listed or exempt. DSL

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

All the ingredients are listed or exempt.

ENCS

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

SECTION 16: Other information

LACTIC ACID SOLUTIONS

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

Kow: Octanol-water partition coefficient.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail

vPvB: Very Persistent and Very Bioaccumulative.

IARC: International Agency for Research on Cancer.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978.

cATpE: Converted Acute Toxicity Point Estimate.

BCF: Bioconcentration Factor.

BOD: Biochemical Oxygen Demand.

EC₅₀: 50% of maximal Effective Concentration.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level.

NOEC: No Observed Effect Concentration.

LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level. EL50: Exposure Limit 50 hPa:

Hectopascal

LL50: Lethal Loading fifty

OECD: Organisation for Economic Co-operation and Development

POW: Octanol-water partition coefficient SCBA: self-contained breathing apparatus

STP: Sewage Treatment Plant VOC: Volatile Organic Compounds

Classification abbreviations

and acronyms

Acute Tox. = Acute toxicity

Aquatic Acute = Hazardous to the aquatic environment (acute)

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and

sources for data

Supplier's information.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 13/07/2020

Version number 4.001

Supersedes date 17/01/2020

SDS number 10337

SDS status Approved.

LACTIC ACID SOLUTIONS

Hazard statements in full H315 Causes skin irritation.

H318 Causes serious eye damage.

Signature Mike Jones

Exposure scenario Production, transport and downstream use of lactic acid

Identification

Product name Lactic Acid

REACH registration number 01-2119474164-39-XXXX

CAS number 79-33-4

EC number 201-196-2

Supplier Fluid Science Ltd

Unit 5, Pride Point, Ashcroft Road,

Knowsley Industrial Estate,

Liverpool, L33 7TW 01244 506 860

Sales@fluidscienceltd.com

1. Title of exposure scenario

Main title Production, transport and downstream use of lactic acid

Product category PC0 Other products.

PC1 Adhesives, sealants.

PC2 Adsorbents.
PC3 Air care products.

PC4 Anti-freeze and de-icing products.

PC8 Biocidal products

PC9a Coatings and paints, thinners, paint removers. PC9b Fillers, putties, plasters, modelling clay.

PC9c Finger paints.

PC12 Lawn and garden preparations (- fertilizers).

PC13 Fuels.

PC14 Metal surface treatment products PC15 Non-metal-surface treatment

products.

PC17 Hydraulic fluids. PC19 Intermediate.

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization

agents PC21 Laboratory chemicals.

PC24 Lubricants, greases and release products.

PC25 Metal working fluids. PC28 Perfumes, fragrances. PC29 Pharmaceuticals

PC31 Polishes and wax blends.

PC32 Polymer preparations and compounds.

PC34 Textile dyes and impregnating products PC35 Washing and cleaning products PC36 Water softeners. PC37 Water treatment chemicals.

PC38 Welding and soldering products, flux products

PC39 Cosmetics, personal care.

Production, transport and downstream use of lactic acid

Article category AC0 Other articles

AC1 Vehicles

AC2 Machinery, mechanical appliances, electrical/electronic articles

AC13 Plastic articles

Main sector SU3 Industrial uses

SU21 Consumer uses SU22 Professional uses

Sector of use SU1 Agriculture, forestry, fishery

SU2a Mining (without offshore industries)

SU2b Offshore industries

SU4 Manufacture of food products

SU6b Manufacture of pulp, paper and paper products

SU8 Manufacture of bulk, large-scale chemicals (including petroleum products)

SU9 Manufacture of fine chemicals

SU10 Formulation [mixing] of preparations and/or re-packaging

SU19 Building and construction work

SU20 Health services

Environment

Environmental release

category

ERC1 Manufacture of the substance

ERC2 Formulation into mixture

ERC3 Formulation into solid matrix

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC5 Use at industrial site leading to inclusion into/onto article

ERC6a Use of intermediate

ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article) ERC6d Use of reactive process regulators in polymerisation processes at industrial site

(inclusion or not into/onto article)

ERC7 Use of functional fluid at industrial site

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article,

indoor)

ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article,

outdoor)

ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor)

ERC10b Widespread use of articles with high or intended release (outdoor)

Worker

Production, transport and downstream use of lactic acid

Process category

PROC0 Other process or activity.

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises PROC5 Mixing or blending in batch processes PROC6

Calendering operations.
PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line,

including weighing)

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring.

PROC14 Tabletting, compression, extrusion, pelletisation, granulation

PROC15 Use as laboratory reagent.

PROC16 Use of fuels

PROC17 Lubrication at high energy conditions in metal working operations

PROC18 General greasing/lubrication at high kinetic energy conditions

PROC19 Manual activities involving hand contact

PROC20 Use of functional fluids in small devices

PROC21 Low energy manipulation and handling of substances bound in/on materials or articles

PROC24 High (mechanical) energy work-up of substances bound in/on materials and/or articles

PROC26 Handling of solid inorganic substances at ambient temperature

2. Conditions of use affecting exposure (Industrial - Environment 1)

Product characteristics

Not regarded as dangerous for the environment. No exposure scenario required.

2. Conditions of use affecting exposure (Workers - Health 1)

Product characteristics

Physical state Liquid, vapour pressure < 10 Pa (STP)

Concentration details Covers concentrations up to 100 %. Unless otherwise stated.

Frequency and duration of use

Covers daily exposures up to 8 hours (unless stated differently).

Other given operational conditions affecting workers exposure

Setting Indoor/outdoor use.

Technical conditions and measures at process level (source) to prevent release Technical

protective measures No other specific measures identified.

Organisational measures to prevent/limit releases, dispersion and exposure

Organisational measures Assumes a good basic standard of occupational hygiene is implemented.

Production, transport and downstream use of lactic acid

Risk management measures

Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur. Wash off any skin contamination immediately. Provide basic employee training to prevent/minimise exposures and to report any skin problems that may develop. Other skin protection measures such as impervious suits and face shields may be required during high dispersion activities which are likely to lead to substantial aerosol release, e.g. spraying.

Wear suitable respiratory protection (conforming to EN140 with type A filter or better) and gloves (type EN374) if regular skin contact likely. Use suitable eye protection.

3. Exposure estimation (Environment 1)

As no environmental hazard was identified, no environmental-related exposure assessment and risk characterisation was performed.

3. Exposure estimation (Health 1)

Qualitative approach used to conclude safe use.

4. Guidance to check compliance with the exposure scenario (Health 1)

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. Available hazard data do not enable the derivation of a DNEL for eye irritant effects. Available hazard data do not support the need for a DNEL to be established for other health effects. Users are advised to consider national Occupational Exposure Limits or other equivalent values. Risk Management Measures are based on qualitative risk characterisation. Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.